



www.lsc.ohio.gov

OHIO LEGISLATIVE SERVICE COMMISSION

Office of Research
and Drafting

Legislative Budget
Office

Substitute Bill Comparative Synopsis

Sub. H.B. 687

136th General Assembly

House Arts, Athletics, and Tourism

Amy L. Archer, Research Analyst

This table summarizes how the latest substitute version of the bill differs from the immediately preceding version. It addresses only the topics on which the two versions differ substantively. It does not list topics on which the two bills are substantively the same.

Previous Version (As Introduced)	Latest Version (I_136_2251-2)
“Athletic facility” definition	
Defines “athletic facility” as both of the following: <ul style="list-style-type: none">▪ A privately owned athletic training, exercise, or sports facility or stadium that is open to the public;▪ A publicly owned sports facility or stadium. <i>(R.C. 3701.852(A)(1); R.C. 3707.50(A)(2), not in the bill.)</i>	Defines “athletic facility” as a privately owned athletic training, exercise, or sports facility that is open to the public <i>(R.C. 3701.852(A)(1)).</i>

Previous Version (As Introduced)	Latest Version (I_136_2251-2)
Athletic facility staff training requirements	
<p>Requires each athletic facility that maintains an automated external defibrillator (AED) on its premises to have at least one staff member who has successfully completed an AED training course that meets continuing law requirements on duty while customers are on its premises (<i>R.C. 3701.852(B)(1)</i>).</p>	<p>Requires, except as provided below, each athletic facility with an AED to do the following:</p> <ul style="list-style-type: none"> ▪ Require all staff members who may be on premises during hours of operation to demonstrate competency in using an AED in accordance with the bill's requirements; ▪ Train all staff to use an AED based on the manufacturer's recommendations for its use and require them to demonstrate competency using it. <p><i>(R.C. 3701.852(B)(1) and (2).)</i></p>
<p>No provision.</p>	<p>Requires each staff member hired on or after the bill's effective date to demonstrate competency no later than 90 days after hire and annually thereafter and each staff member hired prior to the bill's effective date to demonstrate competency no later than 90 days after the bill's effective date (<i>R.C. 3701.852(B)(2)</i>).</p>
<p>No provision.</p>	<p>Requires the athletic facility to develop and maintain policy and procedures for automated external defibrillator competency and to maintain documentation of staff competency (<i>R.C. 3701.852(B)(2)</i>).</p>
<p>Requires each athletic facility that does not maintain an AED on its premises to have at least one staff member who has successfully completed a cardiopulmonary resuscitation (CPR) training course on duty while customers are on its premises (<i>R.C. 3701.852(C)</i>).</p>	<p>Same, but provides for the bill's exception (see below) (<i>R.C. 3701.852(C)</i>).</p>

Previous Version (As Introduced)	Latest Version (I_136_2251-2)
Exception to AED/CPR requirements	
No provision.	Exempts from the bill's requirements any athletic facility that does not have any staff or does not have any staff on duty while customers are on its premises as part of its regular staffing schedule <i>(R.C. 3701.852(D))</i> .
ODH emergency model action plan	
No provision.	<p>Requires, regarding ODH's model emergency action plan for AED use under existing law, the following:</p> <ul style="list-style-type: none"> ▪ It must be based on standards set by nationally recognized organizations that are focused on emergency cardiovascular care. ▪ It must clearly identify locations of AEDs. ▪ In the case of public and chartered nonpublic schools, it must specify <i>school-related locations</i> (such as athletic facilities and gymnasiums, playing fields, or other school sports locations) that require AED placement (in addition to schools as required under continuing law). ▪ Permits placement at school-related locations to be based on proximity to the school or other factors ODH considers appropriate after considering any standards set by nationally recognized organizations described above. <p><i>(R.C. 3701.851(A)(1) to (3).)</i></p>

Previous Version (As Introduced)	Latest Version (I_136_2251-2)
AED placement in school-related locations	
No provision.	Requires school governing authorities to require AED placement in any school-related location required by ODH’s model plan (in addition to in each school as required by continuing law) (<i>R.C. 3313.717(B)(2) and (2) and 3314.16(B)</i>).
No provision.	Expands to school-related locations existing immunity for performing automated external defibrillation in good faith (<i>R.C. 3317.717(C) and 3314.16(C)</i>).
AED placement in sports and recreation locations	
No provision	Repeals a provision limiting the requirement to place an AED in each sports and recreation location to any time the location is hosting an organized youth sport activity (<i>R.C. 755.13(D)(1)(a)</i>).
School and sports and recreation location emergency action plans	
No provision.	Allows, regarding the continuing law requirement that school governing authorities adopt an AED emergency action plan, the authorities to adopt a plan based on standards set by nationally recognized organizations (<i>R.C. 3317.717(B)(3) and 3314.16(B)</i>).
No provision.	Requires an AED emergency action plan adopted by a school governing authority or controlling authority of a sports and recreation location to be reviewed and evaluated at least annually (<i>R.C. 755.13(D)(1)(d), 3317.717(B)(3), and 3314.16(B)</i>).